FISEVIER

Contents lists available at ScienceDirect

## Journal of Microbiological Methods

journal homepage: www.elsevier.com/locate/jmicmeth



# Evaluation of a highly discriminating multiplex multi-locus variable-number of tandem-repeats (MLVA) analysis for *Vibrio cholerae*

Jaran S. Olsen <sup>a,\*</sup>, Tone Aarskaug <sup>a</sup>, Gunnar Skogan <sup>a</sup>, Else Marie Fykse <sup>a</sup>, Anette Bauer Ellingsen <sup>b</sup>, Janet M. Blatny <sup>a</sup>

- <sup>a</sup> Norwegian Defence Research Establishment, P. O. Box 25, N-2027 Kjeller, Norway
- <sup>b</sup> Norwegian School of Veterinary Science, P. O. Box 8146 Dep., N-0033 Oslo, Norway

#### ARTICLE INFO

Article history: Received 25 March 2009 Received in revised form 10 June 2009 Accepted 15 June 2009 Available online 23 June 2009

Keywords: MLVA Vibrio cholerae VNTR Forensic

#### ABSTRACT

Vibrio cholerae is the etiological agent of cholera and may be used in bioterror actions due to the easiness of its dissemination, and the public fear for acquiring the cholera disease. A simple and highly discriminating method for connecting clinical and environmental isolates of *V. cholerae* is needed in microbial forensics. Twelve different loci containing variable numbers of tandem-repeats (VNTRs) were evaluated in which six loci were polymorphic. Two multiplex reactions containing PCR primers targeting these six VNTRs resulted in successful DNA amplification of 142 various environmental and clinical *V. cholerae* isolates. The genetic distribution inside the *V. cholerae* strain collection was used to evaluate the discriminating power (Simpsons Diversity Index = 0.99) of this new MLVA analysis, showing that the assay have a potential to differentiate between various strains, but also to identify those isolates which are collected from a common *V. cholerae* outbreak. This work has established a rapid and highly discriminating MLVA assay useful for track back analyses and/or forensic studies of *V. cholerae* infections.

© 2009 Elsevier B.V. All rights reserved.

#### 1. Introduction

Vibrio cholerae is the etiological agent of cholera, a disease estimated to be responsible for over eleven million cases annually worldwide (Lanata et al., 2002). The latest large cholera outbreak, located in Zimbabwe, started in August 2008 and counted more than 73000 cases and 3500 deaths until February 2009 (WHO, 2009), More than 200 serogroups of *V. cholerae* are present, but only serogroup O1 and 0139 are causing epidemic and pandemic cholera (Faruque et al., 1998). These serogroups generally harbour the genes encoding the cholerae toxin (CT) and toxin co-regulated pilus (TCP) which are considered the most important virulence factors. Strains of the O1 serogroup can be subdivided into serotypes Inaba, Ogawa or Hikojima. Each of these serotypes can be further categorized into a classical or an El Tor biotype based on biochemical properties. Seven large cholera pandemics have occurred since the 19th century (Sack et al., 2004), in which the seventh pandemic (El Tor biotype) started in 1961 in southern Asia and is still ongoing. The history of pandemic cholera, also in countries where cholera has disappeared, makes V. cholerae a potential agent for bioterrorism and biocrime.

Serological typing of *V. cholera* requires more than 200 different antisera for covering all known serogroups of this species (Salim et al.,

\* Corresponding author. Norwegian Defence Research Establishment, Instituttveien 20, N-2027 Kjeller, Norway. Tel.: +47 63807854; fax: +47 63807509. E-mail address: Jaran-Strand.Olsen@ffi.no (J.S. Olsen). 2005). Since the 1980s molecular methods have been more common for identification and typing purposes of *V. cholerae* (Yam et al., 1989: Usera et al., 1994). Methods such as restriction fragment length polymorphism (RFLP) (Popovic et al., 1993), pulsed-field gel electrophoresis (PFGE) (Filetici et al., 1997), multi-locus sequence typing (MLST) (Byun et al., 1999; Kotetishvili et al., 2003), amplified fragment length polymorphism (AFLP) (Jiang et al., 2000), microarray (Dziejman et al., 2002; Vora et al., 2005; Pang et al., 2007) and repetitive-element PCR (rep-PCR) (Chokesajjawatee et al., 2008) have been used for genotyping purposes of V. cholerae. All of these methods have provided valuable contribution to the analysis of the genetic distribution of the V. cholerae. Nevertheless, some limitations exist when it comes to typing speed (MLST, rep-PCR, PFGE, microarray), portability (AFLP, PFGE) and high resolution (ribotyping) which are required in microbial investigations (forensics) related to bioterror actions.

Multi-locus variable-number of tandem-repeats analysis (MLVA) is a molecular method frequently applied for genotyping of prokaryotes, due to its simplicity and high discriminating power (Vergnaud and Pourcel, 2006; Lindstedt, 2005). Today, most medical relevant bacterial species, e.g. *Haemophilus influenzae*, *Staphylococcus aureus*, *Bacillus anthracis*, *Francisella tularensis* and *Yersinia pestis*, have been studied by this method (van Belkum 2007). MLVA is based on PCR analysis of tandemly repeated sequences in the bacterial genome, where specific primers are targeted the flanking sequences of several VNTR (variable-number of tandem-repeats) regions. Variations in

number of repeats in each of the VNTRs generate PCR amplicons of varying fragment length. This size polymorphism is the basis for the generation of the various allele profiles. The MLVA results obtained in one laboratory may easily be compared with results obtained in other laboratories by exchange of allele profiles (string of figures) (Onteniente et al., 2003). Danin-Poleg et al. (2007) and Stine et al. (2008) have recently used MLVA to study the phylogeny and seasonal variation, respectively, in *V. cholerae*. However, in these studies the work was performed either on a limited number of strains or a geographically narrow collection of samples.

The aim of this study was to develop a multiplex high-resolution typing system for trace-back analyses of *V. cholerae* infections, based on polymorphism in six VNTR loci. The genetic distribution of 142 geographically diverse isolates of *V. cholerae* were analysed and evaluated by this MLVA scheme.

#### 2. Materials and methods

#### 2.1. Bacterial strains

Viable cells and DNA preparations of *V. cholerae* were kindly provided by Dr. Alessandra Caratolli (Department of Infectious Parasitic and Immuno-mediated Diseases, Istituto Superiore diSanita`, Rome, Italy), Dr. Herbert Tomaso (German Armed Forces, Institute of Microbiology, Munich, Germany), Dr. Gilles Vergnaud (Delegation Generale Pour L'armement, Centre d'ètudes du Bouchet, Paris, France), Cdt. Med. Carmen de YBARRA de Villavicencio (Unidad de Defensa Biológica Departamento NBQ Instituto Tecnológico la Marañosa, Madrid, Spain), Culture Collection, University of Göteborg (CCUG, Sweden), National Collection of Type Cultures (NCTC, United Kingdom), The Collection of Institut Pasteur (CIP, France) and Norwegian School of Veterinary Science (Fig. 1). Nucleotide sequence data were obtained from National Center for Biotechnology Information (NCBI) (Fig. 1).

Viable cells, DNA preparations and nucleotide sequence data were gathered to establish a strain collection of 142 various *V. cholerae* isolates (Fig. 1). The collection includes clinical and environmental strains isolated worldwide. In addition, twelve viable strains of other *Vibrio* species were included to check the *V. cholerae* primer specificity (5 *V. mimicus*, 3 *V. parahaemolyticus*, 2 *V. alginolyticus*, 1 *V. fluvialis* and 1 *V. metschnikovii*). Viable *Vibrio* cells were grown aerobically in tryptic soya broth (TSB) (Merck, Germany) at 37 °C overnight. Strain identification was verified using previously published *V. cholerae* specific primers (Fykse et al., 2007).

## 2.2. Extraction of DNA

A 10 ml *V. cholerae* culture was harvested by centrifugation at  $5000 \times g$  for 10 min. Genomic DNA from the pellet was extracted using the DNeasy Blood & Tissue Kit (Qiagen) following the instructions given by the manufacturer. Extracted DNA was eluted in 250  $\mu$ l TE buffer and stored at -20 °C until used as template in PCR. Samples were generally diluted 1:20 before used as template in PCR.

In order to further reduce the analytical time, the DNA extraction step was occasionally replaced by boiling a loopful of V. cholerae cells for 10 min followed by centrifugation (5000  $\times g$  for 10 min) and use of the supernatant as PCR template.

## 2.3. DNA amplification

Multiplex PCR and real-time PCR reactions were performed in 15 and 20 µl, respectively, using 1.5 µl genomic DNA (10–20 ng of DNA) as template. The amplifications were carried out in the LightCycler® 480 System (Roche Diagnostics) using the LightCycler® 480 SYBR Green I Master kit (real-time PCR) and LightCycler® FastStart DNA Master PLUS HybProbe kit (multiplex PCR) according to recommendations given by

the manufacturer. The optimal primer concentrations are stated in Table 1. The temperature program for the PCR reactions was as follows: 5 min initial denaturation at 95 °C followed by 35 or 25 cycles (real-time PCR or multiplex PCR, respectively) of denaturation at 95 °C for 10 sec, annealing at 58 °C for 10 s and primer extension at 72 °C for 30 s (25 s for real-time PCR). The amplifications were terminated after a final elongation of 5 min at 72 °C. The PCR fragments were verified by electrophoresis using the Bioanalyzer (Agilent Technologies, USA) prior to fragment analysis using capillary electrophoresis.


Real-time PCR screening was performed at DNA from all *V. cholerae* strains studied in order to evaluate the presence of genes encoding the cholerae toxin (*ctxA*) and the co-regulated pilus (*tcpA*) (Fykse et al., 2007).

#### 2.4. In silico PCR

The allele profiles from twelve complete *V. cholerae* genome sequences were generated by performing *in silico* PCR (http://insilico.ehu.es/). Resulting *in silico* PCR fragments did not match our predefined allele- or size bins based on capillary electrophoresis (see section under) and therefore had to bee normalised. Thus, 3–6 different fragments from various VNTR loci were sequenced to reveal the real fragment length. The average numbers of basepair in difference between fragment lengths obtained by capillary electrophoresis and the real fragment length were calculated (sequencing and *in silico* PCR results in real size lengths) (see Supplementary data). These average numbers of basepair were subtracted from the *in silico* PCR fragment, and then adjusted to the closest size bin. To verify that the normalisation was correct, the number of repeats in the *in silico* fragments and corresponding size bins was counted and found to be identical (data not shown).

## 2.5. MLVA

In order to set up a 4MLVA application for V. cholerae, a search for potential VNTR candidates in the genomic sequence of V. cholerae O1 biotype El Tor, strain N-16961 was performed using bioinformatics resources (http://minisatellites.u-psud.fr/) with the following criteria: repeat length at least 6 bp and repeat sequences 100% conserved. Default settings were used for the remaining criteria. A total of 23 VNTR regions met the criteria. A one kb fragment covering the flanking sequences of 12 of these VNTR regions were applied for primer construction using the Primer3 software (Rozen and Skaletsky, 2000). Primer specificity and VNTR polymorphism were tested against twelve phylogenetic divers V. cholerae strains using real-time PCR. Six primers targeting polymorphic VNTRs were labelled in the 5'-end with the following fluorescent dyes and multiplexed into two solutions; multiplex 1: VC1-VIC, VC3-FAM and VC6-FAM and multiplex 2: VC4-NED, VC5-PET and VC9-FAM. One of each multiplex reaction mix was diluted 1:100 in sterile water. One µl of this dilution was further diluted 1:10 in HiDi formamide, containing the GeneScan™-500 LIZ size standard (Applied Biosystem), and analysed at the ABI prism<sup>®</sup> 310 Genetic Analyzer (Applied Biosystem). The samples were injected into the capillary at 15 kV voltages for 5 s and analysed for 28 min at 60 °C at 15 kV voltage using the POP4 separation polymer. The PCR amplicons were identified based on peak height and colour, and the fragment size was determined using GeneScan™-500 LIZ internal size standard (0.1 µl LiZ standard/12 µl HiDi formamide) and the GeneMapper v.3.0 software (Applied Biosystem). Different alleles or fragment sizes from each VNTR loci were identified and entered into the GeneMapper software (Applied Biosystem) as size bins. The size bins had an error range of +/-0.5 bp. If any product sizes were situated outside this interval, an error message was returned. Subsequent MLVA analysis of new samples was assigned allele profiles automatically using the GeneMapper software. The allele profiles were entered into BioNumerics version 5.1 software



amplification, +/-: PCR amplification but weak band. Supplier: strains were obtained from; Department of Infectious Parasitic and Immuno-mediated Diseases, Istituto Superiore diSanita` (1), German Armed Forces, Institute of Microbiology (2), Delegation Generale Pour L'armement, Centre d'ètudes du Bouchet (3), Unidad de Defensa Biológica Departamento NBQ Instituto Tecnológico la Marañosa (4), Norwegian School of Veterinary Science (5), CCUG (6), NCTC (7), NCBI (8) and CIP (9).

**Table 1**Primer sequence, repeat sequence, number of alleles, primer concentrations and diversity index at six polymorphic loci in 142 *V. cholerae* strains.

Primer	Primer sequence $(5' \rightarrow 3')$	Tandem-repeat sequence	VNTR position <sup>a</sup>	Target gene or product	Primer concentration (μM)	Repeat variation	
						No. of alleles	DI <sub>p</sub>
VC1-f/r	f: CGGATACTCAAACGCAGGAT	AACAGA	137029	Cell division protein. ftsY	0.2	14	0.86
	r: CTTTCGGTCGGTTTCTCTTG						
VC3-f/r	f: CATCAGCCCCAAATAACCAG	TTTCTGCTCTTT	2162771	Hypothetical protein	0.2	2	0.03
	r: GATGGCGTCAAGAGTGGAAT						
VC4-f/r	f: TGTTTGAGAGCTCGCCTCTT	TGCTGT	187661	Hypothetical protein	0.5	22	0.94
	r: TCATCAAGATGCACGACACA						
VC5-f/r	f: AGTGGGCACAGAGTGTCAAA	GATAATCCA	1778432	Collagenase	0.2	13	0.88
	r: AATTGGCCGCTAACTGAGTG						
VC6-f/r	f: GGGAGCACCTTGTTATTTGG	TCGAGTAGTAAAACAGACC	2492060	Intergenic regions	0.2	5	0.47
	r: AACTGACCGACTTTGGGTTG						
VC9-f/r	f: CGTTAGCATCGAAACTGCTG	GACCCTA	467017	Intergenic regions	0.4	12	0.83
	r: AGAAAACAATCGCCTGCTTG						
ctxA-f/r	f:AGAAGGTGGGTGCAGTGGCTATAACA		_	ctxA	1.0	-	_
	r: TGATCATGCAAGAGGAACTCA						
tcpA-f/r	f: CGCTGAGACCACACCCATA		-	tcpA	1.0	-	-
	r:GAAGAAGTTTGTAAAAGAAGAACACG			E.	10		
groEL-f/r	f: ATGATGTTGCCCACGCTAGA		-	groEL	1.0	-	-
	r: GGTTATCGCTGCGGTAGAAG						

a Position refers to V. cholerge strain N-16961.

(Applied-Maths, Belgium) as character values, and a dendrogram was constructed using the categorical coefficient and the WARD algorithm. A minimum spanning tree (MST) (BioNumerics software) was constructed using the highest number of single locus variants (SLVs) as priority rule (in case of two equal calculated trees in terms of distance, the tree with the highest number of branches connecting genotypes differing only in one locus should be selected). No creation of hypothetical types (missing links) was allowed.

The discrimination power of the MLVA assay was established calculating the Simpson's index of diversity (Simpson, 1949; Hunter and Gaston, 1998) for individual and a combined set of VNTR markers using the BioNumerics software. The script for calculating the diversity index for the combined set of VNTR loci was kindly provided by Dr. Gilles Vergnaud (the MLVA group, University of Paris South, Orsay, France).

#### 2.6. Sequencing

PCR products for DNA sequencing were purified using the ExoSAP-IT® purification kit (USB, USA). Purified PCR products were eluted in 20  $\mu$ l of sterile water and DNA concentrations were determined at 260 nm using the NanoDrop® ND-1000 Spectrophotometer (NanoDrop Technology, USA). DNA sequencing was performed by using the BigDye® Terminator v.3.1 Matrix Standard Kit (Applied Biosystem, USA) in accordance with the manufacturer's manual, but with the following modifications; all reaction volumes were reduced by 50%, the samples were not vortexed during the washing step and the final single stranded (ss) DNA pellet was air dried for 45 min at room temperature. The DNA sequence of both ssDNA strands of the PCR product was determined. All sequences obtained in this study were edited by using the Staden package (Staden, 1996). Sequence alignments were performed by using clustalW as part of the MEGA4 software (Tamura et al., 2007).

## 3. Results

## 3.1. MLVA assay

In this study, a rapid and highly discriminating MLVA assay for genotyping of *V. cholerae* has been developed; primarily to enable investigation of cholera outbreaks related to future bioterror incidents or regular trace-back analyses of *V. cholerae* infections. A total of 142 *V. cholerae* isolates were examined for evaluation of this new typing

scheme. Of twelve potential polymorphic VNTRs tested, six loci (VC1, VC3, VC4, VC5, VC6 and VC9) were identified to be polymorphic and used in our MLVA assay (Table 1). These loci were situated in four different genes and two intergenic regions in chromosome II of the *V. cholerae* genome (Table 1). Six primer pairs, flanking these VNTR regions, resulted in amplification of DNA from all tested *V. cholerae* strains, but resulted in equivocal PCR amplification of twelve closely related *Vibrio* species (data not shown).

The GeneScan-500 LIZ standard used generated peaks from 35 to 500 bp, which covered all fragment sizes resulting from the six VNTR loci. In each multiplexed PCR reaction, three amplicons were obtained, and these were easily differentiated based on colour and peak high in the electropherograms (Fig. 2). The size distribution of the PCR amplicons were 138–232 bp (VC1), 115–127 bp (VC3), 168–305 bp (VC4), 119–240 bp (VC5), 183–238 bp (VC6) and 152–270 bp (VC9). Nucleotide sequencing of the six amplified loci from various *V. cholerae* isolates confirmed that size polymorphisms were due to variation in repeat copy numbers (Fig. 3). However, a deviation was observed in isolates FFIVC005, 035 and 126 where an intermediate VC5 fragment size was obtained. This deviation can be explained by an insert of six nucleotides 16 bp upstream of the VNTR region (Fig. 3).

The time consumption of MLVA analysis on one V. cholerae isolate was estimated to be less than 5 h, and included DNA extraction 2.5 h (incubation time for protease K, 2 h), PCR reaction 60 min, fragment analysis  $2 \times 28$  min, time for setting up the PCR reaction mix and preparation of the PCR products for fragment analysis. This indicates a fast assay for establishing a genetic fingerprint compared to methods such as MLST and PFGE (van Belkum et al., 1998).

A high level of polymorphism was observed among the 142 *V. cholerae* isolates using the novel MLVA assay (Table 1). In total, 115 distinct allele profiles or genotypes were identified with an allele variation from two (VC3) to 22 (VC4) (Table 1). Simpson's index of diversity of the various VNTR loci ranged from 0.47 to 0.94, except for 0.03 at VC3, indicating a high discriminating ability in individual loci. These figures were consistent or slightly higher than values reported by Danin-Poleg et al. (2007). Their work included 32 *V. cholerae* strains, and this limited number of isolates may have affected the individual diversity index values. The diversity index for a combined set of the VNTR locus was calculated to be 0.99, indicating that the MLVA method has a highly discriminating power. The diversity index of the MLVA scheme reported herein indicates a 99% probability for two randomly sampled *V. cholerae* isolates to be separated into two different genotypes.

<sup>&</sup>lt;sup>b</sup> DI, Simpsons Diversity Index.




Fig. 2. Electropherogram showing separation of six PCR fragments from multiplex 1 and 2 defined by peak high and colour. Fragments are obtained from isolate FFIVC023. The lower peaks are from the GeneScan™-500 LIZ internal size standard.

#### 3.2. In silico PCR

In order to include VNTR data available from complete *V. cholerae* genomes at NCBI, *in silico* generated PCR fragments were obtained for these strains. None of these fragments matched our pre-defined allele-or size bins derived from capillary electrophoresis. They were all a few basepair longer than the size bins assigned in the GeneMapper software. Deviations in fragment sizes obtained by using different methods (agarose gel, sequencing, capillary electrophoresis or use of various internal standards in the capillary electrophoresis) have previously been reported (Nederbragt et al., 2008). In order to avoid erroneous comparisons, caution should therefore be taken when PCR fragment determination is performed by various methods.

#### 3.3. Phylogenetic analyses

A cluster analysis of the allele profiles from MLVA typing of 142 various *V. cholerae* isolates resulted in a dendrogram where the strains were divided into five larger clusters (Fig. 1). Cluster A consisted mainly of *V. cholerae* O1 and O139 strains, with five exceptions (FFIVC003, 007, 012, 020 and V52). Of these, only V52 is *ctxA* and *tcpA* positive (Fig. 1). Eight O1 strains from cluster A were isolated during an outbreak in Albania/Italia in 1994 (FFIVC056–059, 061 and 063–065), where six strains expressed identical allele profile. The O139 strains were differentiated in locus VC4 with only one repeat in difference. None of the non-O1/O139 strains in cluster A turned out to have more than three markers in common with the O1 or O139 strains.

Cluster B3 is a cluster containing 32 different *V. cholerae* strains where 13 isolates are of serogroup O1. A small subcluster of eight O1 serogroup strain from an outbreak in Rwanda was differentiated only in the VC4 locus. This subcluster included the N16961 type strain, and differed only in VC4 and VC9 compared to the Rwanda strains.

Clusters B1, B2 and B4 contained mainly clinical and environmental non-01/0139 isolates from different geographical location (Fig. 1). Only the B4 cluster included representatives of the serogroup 01 (FFIVC016, 025, 100, 118, 121, 123, 129 and NCTC8457). These three clusters represented a considerable number of different genotypes, which is not surprising since about 40% of the V. cholerae isolates included in the present study originated from the environment or marine animals, and thus reflect the environmental reservoir (Jiang et al., 2000). Surprisingly small genetic differences were observed between certain human O1 isolates and non-O1/O139 isolates with environmental origin. This can be exemplified by the finding of the difference in the VC4 locus (Fig. 4) of the FFIVC055 strain (genotype 46) isolated from mussels in Norway and the FFIVC123 strain (genotype 47), the latter an O1 Inaba strain isolated from human faces in Spain. However, the same genetic distance was identified between FFIVC090-091 and FFIVC107 (environmental strains) and the serogroup O1 isolate FFIVC134 (Fig. 4). These results support the paper by Karaolis et al. (1995) suggesting that toxigenic V. cholerae strains may be derived from environmental non-O1/O139 serogroup strains.

Twelve genotypes were repeatedly observed among the isolates analyzed. These genotypes represented clinical isolates sampled from



**Fig. 3.** Alignment of VNTR locus VC5 and respectively flanking sequence from nine various *V. cholerae* strains. The repeat motif GATAATCCA (green) constitute the size variation among the isolates. The intermediate fragment size observed in strain FFIVC005, 035 and 126 can be explained by an insert of 6 bp (marked in red) located 16 bp upstream of the VNTR region.




Fig. 4. The relationships between 115 MLVA genotypes identified among 142 isolates of *V. cholerae* using minimum spanning tree analysis. The numbers in the circles represent MLVA genotype. The thickness of the lines indicates the genetic distance; solid, thin and dotted lines represent single, double and triple or more locus variation, respectively.

various cholera outbreaks; Italia/Albania 1994 (strain FFIVC057–059, 061 and 063–064), Rwanda 1994 (FFIVC026 and 029–033), and Guinea Equatorial (FFIVC122 and 124–125) (Fig. 1), and environmental isolates from the same geographical location during the same time period (e.g. FFIVC111, 120 and 113–117) (Fig. 1). In contrast, FFIVC056 and FFIVC065 are not of the same genotype as the remaining isolates from the Italy/Albania outbreak but differ in one (FFIVC056) and four (FFIVC065) repeats in locus VC4 (Fig. 1). This is not consistent with previous RAPD or PFGE analyses, which showed that isolates from this particular outbreak all belonged to the same genotype (Pazzani et al., 2006). Similar results were observed for the Rwanda isolates (FFIVC029 and 032–33) and the 0139 strains (FFIVC131 and MO10). By deleting the VC4 locus from the MLVA assay, only one genotype would be obtained from the Italian/

Albania outbreak strains or strains of the O139 serogroup. These results showed that the VC4 locus is highly variable, and may have the ability to change the repeat copy number during the timescale of a cholera outbreak. This mechanism has earlier been identified among *Escherichia coli* isolates from epidemiologically well-characterized outbreaks in America (Noller et al., 2003).

As a complementary analysis to the clustering analysis (Fig. 1), a minimum spanning tree (MST) was constructed (Fig. 4). When a set of genetic distances is given for a number of samples, a MST analysis will generate a tree where all samples are connected in a way where the sum of distances from all branches is minimized. From a biological perspective, this signifies that evolution could be explained through as few events as possible. The lack of clonal complexes (few star-like

clusters of SLVs) in MST confirms the large genetic heterogeneity observed by cluster analysis. The toxigenic O1 and O139 strains in cluster A and B3 in Fig. 1 are organised to the left or upper left in the MSP tree. The more distantly related O1 isolates in cluster B4 are organised outside this area (genotype 2, 6, 37, 47, 91 and 93). There are two exceptions, NCTC8457 and FFIVC025, which clustered with genotype 103 (strain FFIVC065) and genotype 73 (three strains from Rwanda), respectively. The environmental O1 isolates from Italy and the O1 Hikojima strain clustered far from the serogroup O1 complex around serogroup 103. Interestingly, a close relationship was observed between the Norwegian clinical non-O1/O139 strain FFIVC136 (genotype 113) and the O139 isolates representing genotype 114 (Fig. 4), seeing that the *V. cholerae* O139 serogroup is mainly endemic in South-East Asia. This connection was not seen by cluster analysis.

#### 4. Discussion

Fecal-contaminated food or water is the usual transmission route for classical cholera, an acute life-threatening diarrhoeal disease manifested by clear watery stools often referred to as rice water stool. Based on Centers for Disease Control and Prevention list of bioterrorism agents, *V. cholerae* is defined as a category B agent (Rotz et al., 2002), which implies a potential role of *V. cholerae* in biological terror scenarios. It is not necessarily a mass casualty agent, but rather a potential agent which can cause public fear and social disruption. In this context, it is important to be able to identify the source of infection as soon as possible in order to start adequate treatment of patients, preventive measures and initiation of outbreak investigation. The current work presents an MLVA assay for genotyping *V. cholerae* that will prove useful in epidemiological trace-back analysis or microbial forensic studies of this agent.

The MLVA protocol described herein was performed on a total of 142 clinical, environmental and geographically diverse isolates of V. cholerae. The assay included multiplex amplification of short specific products (115-305 bp) and unambiguous fragment size determination in an automatic sequencer. These features provide a highly discriminating MLVA method with a Simpson's index of diversity of 0.99. The current MLVA assay can be performed in less than 5 h. In order to further reduce the analytical time, the DNA extraction step was occasionally replaced by simply lysing the V. cholerae cells by boiling. This procedure was tested and resulted in reliable PCR amplification and a reduction of the analytical time to approximately 3 h (data not shown). Compared to more time demanding (MLST, PFGE, MLEE) or less inter-laboratory comparable methods (AFLP) (van Belkum et al., 1998; Chokesajjawatee et al., 2008; Lindstedt, 2005), we believe that this MLVA method is efficient, rapid, reliable and very convenient for laboratories performing epidemiological investigation of V. cholerae outbreaks. A disadvantage of the MLVA analysis is the high costs associated with the use of capillary electrophoresis and real-time PCR platforms, especially to laboratories with low economic budgets. Regardless, the MLVA method may be performed using cheaper standard endpoint PCR and agarose gel electrophoresis as long as a the PCR reactions are thoroughly examined, and a strictly evaluated allele standard is used in fragment size determination (Vergnaud and Pourcel, 2006, Chokesajjawatee et al., 2008).

A central part in microbial forensic is to perform a proper outbreak identification. A selection of the isolates in our strain collection was connected to known cholera outbreaks. This relationship was revealed by a common allele profile, or a highly related profile, for isolates from the Italia/Albania, Rwanda, and Guinea Equatorial outbreaks (Fig. 1). The Italia/Albania outbreak strains have previously been genotyped by PFGE and RAPD, resulting in no differentiation of 110 *V. cholerae* isolates (Pazzani et al., 2006). In contrast, the present results indicate that at least three different genotypes were present in this outbreak (Fig. 1). Danin-Poleg et al. (2007) demonstrated that the repeat copy number in two VNTR loci was stable over a 4-day period. However, our

results indicate that the VNTRs in *V. cholerae* may evolve so rapidly that novel genotypes can emerge during the time of an outbreak, possibly caused by an initial single clone. These results showed that the present MLVA assay have a substantial higher discriminating power compared to PFGE and RAPD, and that the assay is suitable for outbreak investigations in which short-time genetic variations in the *V. cholerae* genome can be identified. Nevertheless, caution is warranted when using this method for evolutionary studies.

The cluster analysis performed on the allele profiles obtained, resulted in a phylogenetic tree divided into five larger clusters (Fig. 1). Toxigenic O1 and O139 strains of V. cholerae were located in cluster A or B3, however, some deviating O1 isolates were placed in cluster B4. This result is consistent with previous studies (Beltrán et al., 1999; Faruque et al., 2004; Keymer et al., 2007). In addition, the relatedness observed among the O1 and O139 strains of V. cholerae was expected since the O139 serogroup are considered to be a clone of the O1, El Tor biotype (Cholera Working Group, 1993; Comstock et al., 1996). It is difficult to explain the clustering of serogroup O1 outliers observed in this study, based on the present MLVA data, or available strain information. However, studies have shown that ctx/tcp negative environmental V. cholerae O1 isolates (i.e. FFIVC118 in cluster B4) are not necessarily closely related to toxigenic strains (Faruque et al., 2004). Strains of the Hikojima serotype (i.e. FFIVC129 in cluster B4) have previously been referred to as unstable (Chatterjeea and Chaudhuri, 2003) and may therefore deviate from other O1 strains.

In general the MST analysis was in agreement with cluster analysis. However, one interesting difference was the close genetic relationship found between the non-O1/O139 Norwegian strain FFIVC136 (ctxA<sup>-</sup> and tcpA<sup>-</sup>) and the O139 strains (Fig. 4). The FFIVC136 strain was isolated in Norway from a patient suffering from severe watery diarrhoea (Henriksen et al., 1993). Considering the fact that V. cholerae O139 primarily is endemic to South-East Asia, finding strains highly related to this particular serogroup as far north as Norway is intriguing. In general, the marine background level of V. cholerae has been found to be low in Norwegian costal areas (Bauer et al., 2006). Our results illustrates that there is high genetic heterogeneity within the V. cholerae specie. On the other hand, non-O1/O139 isolates were found to be closely related to O139 isolates, which indicates that this serogroup may be present in non-tropical parts of the world. Eiler et al. (2006) indicated that V. cholerae may represent an overlooked health hazard in temperate and boreal regions of the world. Our results support this assumption.

In conclusion, a novel MLVA protocol for *V. cholerae* has been developed and evaluated. The assay is highly discriminating, fast (within 3–5 h) and easy to perform. This MLVA assay may be a useful tool in forensic studies of biological terror actions or in track back analyses of human *V. cholerae* infections connected to natural outbreaks.

## Acknowledgements

We would like to thank Prof. Per Einar Granum (Norwegian School of Veterinary Science) for manuscript reviewing and Dr. Gilles Vergnaud (the MLVA group, University of Paris South, Orsay, France) for inspiring and valuable genotyping discussions and supply of a BioNumerics script. This work is part of the European biodefence projects CEPA 13.14 and EDA B-0060-GEM3-GC coordination work on dangerous pathogens.

## Appendix A. Supplementary data

Supplementary data associated with this article can be found, in the online version, at doi:10.1016/j.mimet.2009.06.011.

## References

Bauer, A., Østensvik, Ø., Florvåg, M., Ørmen, Ø., Rørvik, L.M., 2006. Occurrence of *Vibrio parahaemolyticus*, *V. cholerae*, and *V. vulnificus* in Norwegian Blue Mussels (*Mytilus edulis*). Appl. Environ. Microbiol. 72, 3058–3061.

- Beltrán, P., Delgado, G., Navarro, A., Trujillo, F., Selander, R.K., Cravioto, A., 1999. Genetic diversity and population structure of Vibrio cholerae. J. Clin. Microbiol. 37, 581–590.
- Byun, R., Elbourne, L.D., Lan, R., Reeves, P.R., 1999. Evolutionary relationships of pathogenic clones of *Vibrio cholerae* by sequence analysis of four housekeeping genes. Infect. Immun. 67, 1116–1124.
- Chatterjee, S.N., Chaudhuri, K., 2003. Lipopolysaccharides of Vibrio cholerae. Physical and chemical characterization. Biochim. Biophys. Acta 1639, 65–79.
- Chokesajjawatee, N., Zo, Y.G., Colwell, R.R., 2008. Determination of clonality and relatedness of *Vibrio cholerae* isolates by genomic fingerprinting, using long-range repetitive element sequence-based PCR. Appl. Environ. Microbiol. 74, 5392–5401.
- Cholera Working Group, International Centre for Diarrhoeal Diseases Research, Bangladesh, 1993. Large epidemic of cholera-like disease in Bangladesh caused by *Vibrio cholerae* O139 synonym Bengal. Lancet 342, 387–390.
- Comstock, L.E., Johnson, J.A., Michalski, J.M., Morris Jr., J.G., Kaper, J.B., 1996. Cloning and sequence of a region encoding a surface polysaccharide of Vibrio cholerae O139 and characterization of the insertion site in the chromosome of Vibrio cholerae O1. Mol. Microbiol. 19, 815–826.
- Danin-Poleg, Y., Cohen, L.A., Gancz, H., Broza, Y.Y., Goldshmidt, H., Malul, E., Valinsky, L., Lerner, L., Broza, M., Kashi, Y., 2007. Vibrio cholerae strain typing and phylogeny study based on simple sequence repeats. J. Clin. Microbiol. 45, 736–746.
- Dziejman, M., Balon, E., Boyd, D., Fraser, C.M., Heidelberg, J.F., Mekalanos, J.J., 2002. Comparative genomic analysis of Vibrio cholerae: genes that correlate with cholera endemic and pandemic disease. Proc. Natl. Acad. Sci. U. S. A. 5, 1556–1561.
- Eiler, A., Johansson, M., Bertilsson, S., 2006. Environmental influences on *Vibrio* populations in northern temperate and boreal coastal waters (Baltic and Skagerrak Seas). Appl. Environ. Microbiol. 72, 6004–6011.
- Faruque, S.M., Albert, M.J., Mekalanos, J.J., 1998. Epidemiology, genetics, and ecology of toxigenic Vibrio cholerae. Microbiol. Mol. Biol. Rev. 62, 1301–1314.
- Faruque, S.M., Chowdhury, N., Kamruzzaman, M., Dziejman, M., Rahman, M.H., Sack, D.A., Nair, G.B., Mekalanos, J.J., 2004. Genetic diversity and virulence potential of environmental Vibrio cholerae population in a cholera-endemic area. Proc. Natl. Acad. Sci. U. S. A. 101, 2123–2128.
- Filetici, E., Bonadonna, L., Ciccozzi, M., Anastasio, M.P., Fantasia, M., Shimada, T., 1997.
  Phenotypic and genotypic biotyping of environmental strains of *Vibrio cholerae* non-O1 isolated in Italy. Appl. Environ. Microbiol. 63, 4102–4106.
- Fykse, E.M., Skogan, G., Davies, W., Olsen, J.S., Blatny, J.M., 2007. Detection of *Vibrio cholerae* by real-time nucleic acid sequence-based amplification. Appl. Environ. Microbiol. 73, 1457–1466.
- Henriksen, A.Z., Sandvik, A., Bergh, K., Reiersen, R., Natås, O., 1993. Severe gastroenteritis after domestic infection with Vibrio cholerae non-O1. Tidsskr. Nor. Laegeforen. 113, 3017–3018.
- Hunter, P.R., Gaston, M.A., 1998. Numerical index of the discriminatory ability of typing systems: an application of Simpson's index of diversity. J. Clin. Microbiol. 26, 2465–2466.
- Jiang, S.C., Matte, M., Matte, G., Huq, A., Colwell, R.R., 2000. Genetic diversity of clinical and environmental isolates of Vibrio cholerae determined by amplified fragment length polymorphism fingerprinting. Appl. Environ. Microbiol. 66, 148–153.
- Karaolis, D.K., Lan, R., Reeves, P.R., 1995. The sixth and seventh cholera pandemics are due to independent clones separately derived from environmental, nontoxigenic, non-O1 Vibrio cholerae. J. Bacteriol. 177, 3191–3198.
- Keymer, D.P., Miller, M.C., Schoolnik, G.K., Boehm, A.B., 2007. Genomic and phenotypic diversity of coastal Vibrio cholerae strains is linked to environmental factors. Appl. Environ. Microbiol. 73, 3705–3714.
- Kotetishvili, M., Stine, O.C., Chen, Y., Kreger, A., Sulakvelidze, A., Sozhamannan, S., Morris Jr., J.G., 2003. Multilocus sequence typing has better discriminatory ability for typing Vibrio cholerae than does pulsed-field gel electrophoresis and provides a measure of phylogenetic relatedness. J. Clin. Microbiol. 41, 2191–2196.
- Lanata, C.F., Mendoza, W., Black, R.E., 2002. Improving Diarrhoea Estimates: Child and Adolescent Health and Development. World Health Organization, Geneva.

- Lindstedt, B.A., 2005. Multiple-locus variable number tandem repeats analysis for genetic fingerprinting of pathogenic bacteria. Electrophoresis 26, 2567–2582.
- Nederbragt, A.J., Balasingham, A., Sirevåg, R., Utkilen, H., Jakobsen, K.S., Anderson-Glenna, M.J., 2008. Multiple-locus variable-number tandem repeat analysis of *Legionella pneumophila* using multi-colored capillary electrophoresis. J. Microbiol. Methods 73, 111–117.
- Noller, A.C., McEllistrem, M.C., Pacheco, A.G., Boxrud, D.J., Harrison, L.H., 2003. Multilocus variable-number tandem repeat analysis distinguishes outbreak and sporadic *Escherichia coli* O157:H7 isolates. J. Clin. Microbiol. 41, 5389–5397.
- Onteniente, L., Brisse, S., Tassios, P.T., Vergnaud, G., 2003. Evaluation of the polymorphisms associated with tandem repeats for *Pseudomonas aeruginosa* strain typing. J. Clin. Microbiol. 41 4991–4997
- Pang, B., Yan, M., Cui, Z., Ye, X., Diao, B., Ren, Y., Gao, S., Zhang, L., Kan, B., 2007. Genetic diversity of toxigenic and nontoxigenic *Vibrio cholerae* serogroups O1 and O139 revealed by arraybased comparative genomic hybridization. J. Bacteriol. 189, 4837–4849.
- Pazzani, C., Scrascia, M., Dionisi, A.M., Maimone, F., Luzzi, I., 2006. Molecular epidemiology and origin of cholera reemergence in Italy and Albania in the 1990s. Res. Microbiol. 157, 508–512
- Popovic, T., Bopp, C., Olsvik, O., Wachsmuth, K., 1993. Epidemiologic application of a standardized ribotype scheme for *Vibrio cholerae* O1. J. Clin. Microbiol. 31, 2474–2482.
- Rotz, L.D., Khan, A.S., Lillibridge, S.R., Ostroff, S.M., Hughes, J.M., 2002. Public health assessment of potential biological terrorism agents. Emerg. Infect. Dis. 8, 225–230.
- Rozen, S., Skaletsky, H.J., 2000. Primer3 on the WWW for general users and for biologist programmers. In: Krawetz, S., Misener, S. (Eds.), Bioinformatics Methods and Protocols: Methods in Molecular Biology. Humana Press, Totowa, NJ, pp. 365–386.
- Sack, D.A., Sack, R.B., Nair, G.B., Siddique, A.K., 2004. Cholera. Lancet 363, 223–233.
- Salim, A., Lan, R., Reeves, P.R., 2005. Vibrio cholerae pathogenic clones. Emerg. Infect. Dis. 11, 1758–1760.
- Simpson, E.H., 1949. Measurement of diversity. Nature 163, 688.
- Stine, O.C., Alam, M., Tang, L., Nair, G.B., Siddique, A.K., Faruque, S.M., Huq, A., Colwell, R., Sack, R.B., Morris Jr., J.G., 2008. Seasonal cholera from multiple small outbreaks, rural Bangladesh. Emerg. Infect. Dis. 14, 831–833.
- Staden, R., 1996. The Staden sequence analysis package. Mol. Biotechnol. 5, 233–241. Tamura, K., Dudley, J., Nei, M., Kumar, S., 2007. MEGA4: Molecular Evolutionary Genetics
- Analysis (MEGA) software version 4.0. Mol. Biol. Evol. 24, 1596–1599.
  Usera, M.A., Echeita, A., Olsvik, O., Evins, G.M., Cameron, D.N., Popovic, T., 1994. Molecular subtyping of *Vibrio cholerae* O1 strains recently isolated from patient, food and
- environmental samples in Spain. Eur. J. Clin. Microbiol. Infect. Dis. 13, 299–303. van Belkum, A., 2007. Tracing isolates of bacterial species by multilocus variable number of tandem repeat analysis (MLVA). FEMS Immunol. Med. Microbiol. 49, 22–27.
- van Belkum, A., van Leeuwen, W., Kaufmann, M.E., Cookson, B., Forey, F., Etienne, J., Goering, R., Tenover, F., Steward, C., O'Brien, F., Grubb, W., Tassios, P., Legakis, N., Morvan, A., El Solh, N., de Ryck, R., Struelens, M., Salmenlinna, S., Vuopio-Varkila, J., Kooistra, M., Talens, A., Witte, W., Verbrugh, H., 1998. Assessment of resolution and intercenter reproducibility of results of genotyping *Staphylococcus aureus* by pulsed-field gel electrophoresis of Smal macrorestriction fragments: a multicenter study. J. Clin. Microbiol. 36, 1653–1659.
- Vergnaud, G., Pourcel, C., 2006. Multiple locus VNTR (Variable Number of Tandem Repeat) analysis. In: Stackebrandt, E. (Ed.), Molecular Identification, Systematics, and Population Structure of Prokaryotes. Springer-Verlag, Berlin Heidelberg, pp. 83–104.
- Vora, C.J., Meador, C.E., Bird, M.M., Bopp, C.A., Andreadis, J.D., Stenger, D.A., 2005. Microarray-based detection of genetic heterogeneity, antimicrobial resistance, and the viable but nonculturable state in human pathogenic Vibrio spp. Proc. Natl. Acad. Sci. U. S. A. 27, 19109–19114.
- WHO, 2009. Daily Cholerae Update and alerts, 9th January, 2009. http://www.who.int/hac/crises/zmb/sitreps/zimbabwe\_cholera\_update\_9jan2009.pdf.
- Yam, W.C., Lung, M.L., Ng, K.Y., Ng, M.H., 1989. Molecular epidemiology of Vibrio cholerae in Hong Kong. J. Clin. Microbiol. 27, 1900–1902.